



Certificate of Analysis (COA)

Report Number: 25-416014
Report Date : 08/18/2025

1169 Warner Ave, Tustin, CA, 92780 Phone:714-259-0384

Customer* : Cymbiotika LLC

Contact* :

5825 Oberlin Dr.
Suite #5
San Diego, CA, 92121

Phone* : 855-983-8888







Samples Received : 07/25/2025
Start of Testing : 07/25/2025
PO Number : Unknown

Sample Name : Cymbiotika Liposomal Glutathione Stability Initial

Item # :

Lot # : 7014

Lab # : 001

Test Code	Analysis - Method	Result	Spec
NC	Enterobacteriaceae MPN (Modified USP 2021)	< 3 MPN/G	<10 cfu/g
NC	Mold Count (USP 2021)	< 10 CFU/G	<1,000 cfu/g
NC	Total Aerobic Microbial Count (Modified USP 2021)	160 CFU/G	<10,000 cfu/g
NC	Yeast Count (USP 2021)	150 CFU/G	<1,000 cfu/g
PAC02	Package Compatibility SOP 3.07.076	5mL liquid in a green packet pouch. Outer seal is intact. Inner seal is intact. No signs of deterioration. Lot#, Mfg, and Exp dates remain clear and correct, w/no signs of fading.	N/A
STAC01	Stability Conditions	Initial	N/A
NC	Organoleptic Analysis Appearance	Viscous Liquid	Meet Specifications
NC	Organoleptic Analysis Color	Reddish Brown	N/A
NC	Organoleptic Analysis Odor	Characteristic	N/A
USPC36	7 Method Bundle Modified USP 2021/2022 (APC, EB, Pseudo, YM, Ecoli, Staph, Sal)	Completed	
NC	P. aeruginosa (USP 62)	Absent	Absent
NC	E. coli (Modified USP 2022)	Absent	Absent
NC	Salmonella species (Modified USP 2022)	Absent	Absent
NC	Staphylococcus aureus (Modified USP 2022)	Absent	Absent
BRI02	Brix USP 44		
SPG03	Density (Specific Gravity) USP		
GLU01	Glutathione (HPLC) SOP 3.1.16	255.96 mg/5mL	150 mg/5mL
PH06	pH (USP)		
VIS03	Viscosity USP		

Customer :	Cymbiotika LLC	Report Number :	25-416014	Report Date :	08/18/2025
------------	----------------	-----------------	-----------	---------------	------------

Billing Code	Analysis - Method	Result	Spec
HMS35	Heavy Metal Screen 4 - ICPMS: As, Cd, Hg, Pb	Complete	
NC	Arsenic (As) ICP-MS	0.181 mcg/5mL Test Note: Test Performed At CG Burbank. Test Method: BCM-30011 By ICP-MS.	NMT 10 mcg/5mL
NC	Cadmium (Cd) ICP-MS	Not Detected (MDL 0.001444 mcg/5mL) Test Note: Test Performed At CG Burbank. Test Method: BCM-30011 By ICP-MS.	NMT 4.1 mcg/5mL
NC	Lead (Pb) ICP-MS	0.050 mcg/5mL Test Note: Test Performed At CG Burbank. Test Method: BCM-30011 By ICP-MS.	NMT 0.5 mcg/5mL
NC	Mercury (Hg) ICP-MS	Not Detected (MDL 0.00001g mcg/5mL) Test Note: Test Performed At CG Burbank. Test Method: BCM-30011 By ICP-MS.	NMT 0.3 mcg/5mL
ORG02	Organoleptic Analysis SOP 3.07.076	Normal	N/A

Customer : Cymbiotika LLC	Report Number : 25-416014	Report Date : 08/18/2025
---------------------------	---------------------------	--------------------------

Billing Code	Analysis - Method	Result	Spec
--------------	-------------------	--------	------

Sample Temperature Upon Receipt : 25.0 deg C

Remarks :

Certified Group - Tustin is accredited to the ISO/IEC 17025:2017 standard and specializes in the testing of botanical ingredients, dietary supplements, and foods. Certified Group - Tustin is not an FDA drug registered facility, therefore any data or results provided by Certified Group - Tustin are not intended to fulfill any requirements under the drug cGMPs dictated in 21 CFR Parts 210 and 211.

For Questions or Comments Contact :
Customer Experience Team
714-259-0384 or
customerexperience_tustin@certifiedgroup.com

All results contained in the above report relate only to the items tested. All samples received in satisfactory condition unless noted otherwise. *The indicated information has been provided by the client to Certified Group - Tustin.

Approved By : Katerina Baldwin, Laboratory Directory

Signature : 